

**TECHNICAL SPECIFICATIONS SHEET FOR PURCHASE REQUEST NO. 25-06:  
SUPPLY AND DELIVERY OF WATER TEST KITS FOR TURBIDITY, FREE, AND  
TOTAL CHLORINE**

SPECIFICATIONS	UNIT	QTY.
<b>Lot 1: Water Test Kit/Set for Turbidity</b> <ul style="list-style-type: none"> <li>- Colorimeter type; portable; battery powered</li> <li>- Range: 0.01 to 10 NTU;</li> <li>- Resolution: 0.01 NTU; with backlit LCD/LED screen display test results;</li> <li>- Inclusions: <ul style="list-style-type: none"> <li>o Turbidity calibration standards;</li> <li>o At least 3 sample cells; and</li> <li>o Box container with handle to carry the water test kits/set in the field</li> </ul> </li> </ul>	set	3
<b>Lot 2: Water Test Kit/Set for Free and Total Chlorine</b> <ul style="list-style-type: none"> <li>- Colorimeter type; portable; battery powered; uses tablet or powder-type Free Chlorine test reagent;</li> <li>- Range: 0 to 4 mg/l or 0 to 5 mg/l</li> <li>- Resolution: 0.01 mg/l; with backlit LCD/LED screen display test results;</li> <li>- Inclusions: <ul style="list-style-type: none"> <li>o Chlorine calibration standards;</li> <li>o Free Chlorine tablet or powder test reagent for 1,000 tests;</li> <li>o Total Chlorine or powder test reagent for 250 tests;</li> <li>o At least 3 sample cells; and</li> <li>o Box container with handle to carry the water test kits/set in the field</li> </ul> </li> </ul>	set	6